Арр	roved For Release 2006/10/06	CIA-RDP78T05929A00100	00010001-8
			14 May 1965
			Page

GALOSH LAUNCH EXERCISE POSSIBLY AT LAUNCH SITE 3, LAUNCH COMPLEX "A", SSATC, USSR

- 1. IN CONNECTION WITH SOVIET AMM SYSTEMS, THE FILM SHOWED A VIEW OF A CANNISTER IN A NEAR VERTICAL POSITION WITH A TOWER (HEAVING A PLATFORM ON TOP) NEARBY. SUBSEQUENT FRAMES REVEAL THE SEPARATION OF THE CAP OF THE CANNISTER, AND THE NEXT SIX (16 MM) FRAMES (THREE OF WHICH ARE ON GRAPHIC) SHOW THE IGNITION AND LAUNCH OF A MISSILE OUT OF THE CANNISTER FROM THE EMERGENCE OF THE NOSE TO THE CLEARANCE OF THE BOOSTER. THE SEQUENCE CONTINUES TO THE POINT OF INTERCEPT OF THE PURPORTED TARGET MISSILE BY THE CANNISTER MISSILE, AND IS THE FIRST COVERAGE OF THE MISSILE CONFIGURATION.
- 2. PHOTOGRAPHY OF THE MOSCOW PARADE, 7 NOV 64, REVEALED FOR THE FIRST TIME CANNISTER AND PRIME MOVER. THE CANNISTER WAS SUBSEQUENTLY DESIGNATED BY U.S. AS THE GALOSH AND DESCRIBED BY THE SOVIETS AS AN ABM.
- 3. LAUNCH SITE 3 AT LAUNCH COMPLEX "A", SSATC, CONTAINS A LAUNCH
 POSITION (PAD 5) WITH AN ASSOCIATED TOWER WHICH EQUATES TO AND
 MAY POSSIBLY BE THE ONE SHOWN IN THE SOVIET FILM.

Declass Review by NGA

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

Jan La Loren

25

25)

25

14 May 1965

Page /O

REVEALED AN OBJECT LOCATED AT LAUNCH SITE 3 (PAD 6). IN ADDITION, THE TOWER NEAR PAD 5 HAS BEEN MEASURED AT APPROXIMATELY 120 FT, AND THE CANNISTER THIS IS ROUGHLY COMPATIBLE WITH THE APPEARANCE OF THESE OBJECTS IN THE FILM.

IF, IN FACT, THE GALOSH EXERCISE SEEN IN THE FILM WAS FIRED FROM LAUNCH SITE 3 (PAD 5), IT WOULD INDICATE THAT THIS SYSTEM MAY BE INTENDED FOR DEPLOYMENT AT THE TALLINN AND CHEREPOVETS AMM/SAM LAUNCH COMPLEXES, BASED ON PAD AND SITE CONFIRGURATION.

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

